


## Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142628
<b>Type:</b>	Unit	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Potency	<b>Started:</b>	5/26/2021
<b>Method:</b>	TM14	<b>Reported:</b>	5/27/2021

## CANNABINOID PROFILE



Compound	LOQ (mg)	Result (mg)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.33	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.38	ND	ND
Cannabidiolic acid (CBDA)	0.40	ND	ND
Cannabidiol (CBD)	0.39	35.54	27.3
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.42	ND	ND
Cannabinolic Acid (CBNA)	0.24	ND	ND
Cannabinol (CBN)	0.11	ND	ND
Cannabigerolic acid (CBGA)	0.35	ND	ND
Cannabigerol (CBG)	0.08	ND	ND
Tetrahydrocannabivarinic Acid (THCVA)	0.30	ND	ND
Tetrahydrocannabivarin (THCV)	0.08	ND	ND
Cannabidivarinic Acid (CBDVA)	0.17	ND	ND
Cannabidivarin (CBDV)	0.09	ND	ND
Cannabichromenic Acid (CBCA)	0.13	ND	ND
Cannabichromene (CBC)	0.15	ND	ND
<b>Total Cannabinoids</b>		<b>35.54</b>	<b>27.3</b>
Total Potential THC**		ND	ND
Total Potential CBD**		35.54	27.3

% = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

\*\* Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

$$\text{Total THC} = \text{THC} + (\text{THCa} * 0.877)$$

$$\text{Total CBD} = \text{CBD} + (\text{CBDa} * 0.877)$$

ND = None Detected (Defined by Dynamic Range of the method)

## NOTES:

# of Servings = 1, Sample Weight=1.3g

## FINAL APPROVAL

 Sam Smith 27-May-2021 11:45 AM	 Rvan Weems 27-May-2021 11:48 AM
PREPARED BY / DATE	APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

## Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142630
<b>Type:</b>	Concentrate	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Terpenes	<b>Started:</b>	5/27/2021
<b>Method:</b>	TM22	<b>Reported:</b>	5/28/2021

## TERPENE PROFILE

 0.0000%  
Total  
Terpenes

Compound	%(w/w)	mg/g
(-)-alpha-Bisabolol	0.0000	0.000
Camphene	0.0000	0.000
delta-3-Carene	0.0000	0.000
beta-Caryophyllene	0.0000	0.000
(-)-Caryophyllene Oxide	0.0000	0.000
p-Cymene	0.0000	0.000
Eucalyptol	0.0000	0.000
Geraniol	0.0000	0.000
alpha-Humulene	0.0000	0.000
(-)-Isopulegol	0.0000	0.000
d-Limonene	0.0000	0.000
Linalool	0.0000	0.000
beta-Myrcene	0.0000	0.000
cis-Nerolidol	0.0000	0.000
trans-Nerolidol	0.0000	0.000
Ocimene	0.0000	0.000
beta-Ocimene	0.0000	0.000
alpha-Pinene	0.0000	0.000
(-)-beta-Pinene	0.0000	0.000
alpha-Terpinene	0.0000	0.000
gamma-Terpinene	0.0000	0.000
Terpinolene	0.0000	0.000
	<b>0.0000</b>	<b>0.000</b>

## PREDOMINANT TERPENES

alpha-Pinene	0.0000
(-)-beta-Pinene	0.0000
beta-Myrcene	0.0000
delta-3-Carene	0.0000
alpha-Terpinene	0.0000
d-Limonene	0.0000
Linalool	0.0000
beta-Caryophyllene	0.0000
alpha-Humulene	0.0000
(-)-alpha-Bisabolol	0.0000

## NOTES:

N/A

## FINAL APPROVAL



 Daniel Weidensaul  
28-May-2021  
11:02 AM



 Ryan Weems  
28-May-2021  
11:04 AM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited

A2LA Certificate Number 4329.02



Certificate #4329.02

## Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142629
<b>Type:</b>	Unit	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Trace THC	<b>Started:</b>	5/29/2021
<b>Method:</b>	TM20	<b>Reported:</b>	6/1/2021

## TRACE THC/THCa PROFILE

Compound	Dynamic Range (%)	Result (%)	Result (mg/g)
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.001 - 0.682	ND**	ND**
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.002 - 1.366	ND**	ND**
Total Potential THC*		ND**	ND**



## NOTES:

N/A

\* % = % (w/w) = Percent (Weight of Analyte / Weight of Product)

\* Total Potential THC is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.  
Total THC = THC + (THCa \*(0.877))

\*\* ND = None Detected (Defined by Dynamic Range of the method)

\*\*\* ALOO = Above Limit Of Quantitation (Defined by Dynamic Range of the method)

## FINAL APPROVAL

Sam Smith  
1-Jun-2021  
12:14 PMRvan Weems  
1-Jun-2021  
12:16 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

## Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142632
<b>Type:</b>	Edible	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Microbial Contaminants	<b>Started:</b>	5/24/2021
<b>Method:</b>	TM24, TM25, TM26, TM27, TM28	<b>Reported:</b>	5/27/2021

## MICROBIAL CONTAMINANTS

Contaminant	Result (CFU/g)*
<b>Total Aerobic Count**</b>	None Detected
<b>Total Coliforms**</b>	None Detected
<b>Total Yeast and Molds**</b>	None Detected
<b>E. coli</b>	Absent
<b>E. coli (STEC)</b>	Absent
<b>Salmonella</b>	Absent

\* CFU/g = Colony Forming Unit per Gram

\*\* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form.

Examples:  $10^2 = 100$  CFU  
 $10^3 = 1,000$  CFU  
 $10^4 = 10,000$  CFU  
 $10^5 = 100,000$  CFU

## NOTES:

Free from visual mold, mildew, and foreign matter

TYM: None Detected

Total Aerobic: None Detected

Coliforms: None Detected

## FINAL APPROVAL

Brianne Maillot  
27-May-2021  
10:42 AMSarah Henning  
27-May-2021  
1:03 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.03. Testing associated with this certificate of analysis performed by an external ISO17025 accredited provider.



Certificate #4329.03

## Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142631
<b>Type:</b>	Concentrate	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Pesticides	<b>Started:</b>	5/27/2021
<b>Method:</b>	TM17	<b>Reported:</b>	5/28/2021


## PESTICIDE RESIDUE

Compound	Dynamic Range (ppb)	Result (ppb)	Compound	Dynamic Range (ppb)	Result (ppb)
Acephate	40 - 2543	ND*	Malathion	286 - 2543	ND*
Acetamiprid	43 - 2543	ND*	Metalaxyl	42 - 2543	ND*
Abamectin	>325	ND*	Methiocarb	43 - 2543	ND*
Azoxystrobin	46 - 2543	ND*	Methomyl	43 - 2543	ND*
Bifenazate	26 - 2543	ND*	MGK 264 1	166 - 2543	ND*
Boscalid	42 - 2543	ND*	MGK 264 2	118 - 2543	ND*
Carbaryl	42 - 2543	ND*	Myclobutanil	44 - 2543	ND*
Carbofuran	43 - 2543	ND*	Naled	37 - 2543	ND*
Chlorantraniliprole	53 - 2543	ND*	Oxamyl	42 - 2543	ND*
Chlorpyrifos	44 - 2543	ND*	Paclbutrazol	46 - 2543	ND*
Clofentezine	296 - 2543	ND*	Permethrin	268 - 2543	ND*
Diazinon	289 - 2543	ND*	Phosmet	44 - 2543	ND*
Dichlorvos	>281	ND*	Prophos	298 - 2543	ND*
Dimethoate	44 - 2543	ND*	Propoxur	42 - 2543	ND*
E-Fenpyroximate	316 - 2543	ND*	Pyridaben	313 - 2543	ND*
Etofenprox	41 - 2543	ND*	Spinosad A	29 - 2543	ND*
Etoxazole	310 - 2543	ND*	Spinosad D	85 - 2543	ND*
Fenoxycarb	>44	ND*	Spiromesifen	>294	ND*
Fipronil	54 - 2543	ND*	Spirotetramat	>304	ND*
Flonicamid	48 - 2543	ND*	Spiroxamine 1	20 - 2543	ND*
Fludioxonil	>264	ND*	Spiroxamine 2	25 - 2543	ND*
Hexythiazox	32 - 2543	ND*	Tebuconazole	305 - 2543	ND*
Imazalil	288 - 2543	ND*	Thiacloprid	45 - 2543	ND*
Imidacloprid	49 - 2543	ND*	Thiamethoxam	45 - 2543	ND*
Kresoxim-methyl	44 - 2543	ND*	Trifloxystrobin	47 - 2543	ND*


\* ND = None Detected (Defined by Dynamic Range of the method)

N/A

## FINAL APPROVAL


 Taylor Brevik  
 28-May-2021  
 2:34 PM

PREPARED BY / DATE


 Sam Smith  
 28-May-2021  
 2:37 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.

## Fringe Mana

<b>Batch ID:</b>	LOT 1	<b>Test ID:</b>	T000142634
<b>Type:</b>	Concentrate	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Residual Solvents	<b>Started:</b>	5/28/2021
<b>Method:</b>	TM04	<b>Reported:</b>	5/28/2021

## RESIDUAL SOLVENTS

Solvent	Dynamic Range (ppm)	Result (ppm)
<b>Propane</b>	87 - 1743	*ND
<b>Butanes</b> (Isobutane, n-Butane)	174 - 3481	*ND
<b>Methanol</b>	70 - 1406	*ND
<b>Pentane</b>	100 - 1991	*ND
<b>Ethanol</b>	104 - 2087	1606
<b>Acetone</b>	114 - 2280	*ND
<b>Isopropyl Alcohol</b>	121 - 2411	*ND
<b>Hexane</b>	7 - 138	*ND
<b>Ethyl Acetate</b>	114 - 2288	*ND
<b>Benzene</b>	0.2 - 4.6	*ND
<b>Heptanes</b>	108 - 2165	*ND
<b>Toluene</b>	21 - 415	*ND
<b>Xylenes</b> (m,p,o-Xylenes)	153 - 3066	*ND

\* ND = None Detected (Defined by Dynamic Range of the method)

NOTES:  
N/A

## FINAL APPROVAL

Karen Winternheimer  
28-May-2021  
2:25 PMRyan Weems  
28-May-2021  
2:28 PM

PREPARED BY / DATE

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02



Certificate #4329.02

Fringe Mana

<b>Batch ID:</b>	Lot 1	<b>Test ID:</b>	T000142633
<b>Type:</b>	Unit	<b>Submitted:</b>	05/24/2021 @ 11:06 AM
<b>Test:</b>	Metals	<b>Started:</b>	5/25/2021
<b>Method:</b>	TM19	<b>Reported:</b>	5/26/2021

## HEAVY METALS


Analyte	Dynamic Range (ppm)	Result (ppm)
Arsenic	0.043 - 4.26	ND
Cadmium	0.043 - 4.27	ND
Mercury	0.043 - 4.30	ND
Lead	0.042 - 4.19	ND

\* ND = None Detected (Defined by Dynamic Range of the method)

## FINAL APPROVAL

  
Ryan Weems  
26-May-2021  
5:58 PM

PREPARED BY / DATE

  
Sam Smith  
26-May-2021  
5:59 PM

APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC.